

ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: City of Bridgeton Q1
Pace Project No.: 30497779

Sample: Well 18-19-21-22 TP015040 Lab ID: 30497779001 Collected: 06/14/22 11:15 Received: 06/15/22 09:30 Matrix: Drinking Water
PWS: NJ0601001 Site ID: TP015040 Sample Type:

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
	Pace Analytical Services - Greensburg					
Radium-226	EPA 903.1	0.255 ± 0.224 (0.138) C:NA T:101%	pCi/L	07/14/22 13:48	13982-63-3	
	Pace Analytical Services - Greensburg					
Radium-228	EPA 904.0	0.344 ± 0.307 (0.632) C:80% T:89%	pCi/L	07/12/22 13:44	15262-20-1	
	Pace Analytical Services - Greensburg					
Total Uranium	ASTM D5174-97	0.092 ± 0.010 (0.262) C:NA T:NA	ug/L	06/28/22 17:26	7440-61-1	
	Pace Analytical Services - Greensburg					
Gross Alpha	ECLS-R-GA Rev8	0.658 ± 0.486 (0.448) C:NA T:NA	pCi/L	06/15/22 23:30	12587-46-1	1c,GA
	Pace Analytical Services - Greensburg					
Total Radium	Total Radium Calculation	0.599 ± 0.531 (0.770)	pCi/L	07/15/22 18:30	7440-14-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.